

**From:** Mathy Stanislaus/DC/USEPA/US  
**Sent:** 2/3/2012 7:59:29 PM  
**To:** Shawn Garvin/R3/USEPA/US@EPA  
**CC:**  
**Subject:** Re: Fw: Dimock arsenic level

This looks great - Thanks.

Mathy Stanislaus  
USEPA Assistant Administrator  
Office of Solid Waste & Emergency Response

From: Shawn Garvin/R3/USEPA/US  
To: Terri-A White/R3/USEPA/US@EPA  
Cc: "Betsaida Alcantara" <alcantara.betsaida@epa.gov>, Bob Sussman/DC/USEPA/US@EPA, Cecil Rodrigues/R3/USEPA/US@EPA, Daniel Ryan/R3/USEPA/US@EPA, Dennis Carney/R3/USEPA/US@EPA, Kathy Hodgkiss/R3/USEPA/US@EPA, Lisa Feldt/DC/USEPA/US@EPA, Mathy Stanislaus/DC/USEPA/US@EPA, Michael Kulik/R3/USEPA/US@EPA, Ron Borsellino/R3/USEPA/US@EPA, William Early/R3/USEPA/US  
Date: 02/03/2012 07:08 PM  
Subject: Re: Fw: Dimock arsenic level

# Ex. 5 - Deliberative

# **Ex. 5 - Deliberative**

From: Terri-A White/R3/USEPA/US  
To: Bob Sussman/DC/USEPA/US@EPA, Shawn Garvin/R3/USEPA/US@EPA  
Cc: "Betsaida Alcantara" <alcantara.betsaida@epa.gov>, Cecil Rodrigues/R3/USEPA/US@EPA, Daniel Ryan/R3/USEPA/US@EPA, Dennis Carney/R3/USEPA/US@EPA, Kathy Hodkiss/R3/USEPA/US@EPA, Lisa Feldt/DC/USEPA/US@EPA, Mathy Stanislaus/DC/USEPA/US@EPA, Michael Kulik/R3/USEPA/US@EPA, Ron Borsellino/R3/USEPA/US@EPA, William Early/R3/USEPA/US  
Date: 02/03/2012 06:53 PM  
Subject: Re: Fw: Dimock arsenic level

# **Ex. 5 - Deliberative**

# **Ex. 5 - Deliberative**

# Ex. 5 - Deliberative

Sent by EPA Wireless E-Mail Services

----- Original Message -----

**From:** Bob Sussman  
**Sent:** 02/03/2012 06:30 PM EST  
**To:** Shawn Garvin  
**Cc:** Terri-A White; "Betsaida Alcantara" <alcantara.betsaida@epa.gov>; Cecil Rodrigues; Daniel Ryan; Dennis Carney; Kathy Hodgkiss; Lisa Feldt; Mathy Stanislaus; Michael Kulik; Ron Borsellino; William Early  
**Subject:** Re: Fw: Dimock arsenic level

# Ex. 5 - Deliberative

Robert M. Sussman  
Senior Policy Counsel to the Administrator  
Office of the Administrator  
US Environmental Protection Agency

From: Shawn Garvin/R3/USEPA/US  
To: Terri-A White/R3/USEPA/US@EPA  
Cc: "Betsaida Alcantara" <alcantara.betsaida@epa.gov>, Bob Sussman/DC/USEPA/US@EPA, Cecil Rodrigues/R3/USEPA/US@EPA, Daniel Ryan/R3/USEPA/US@EPA, Dennis Carney/R3/USEPA/US@EPA, Kathy Hodgkiss/R3/USEPA/US@EPA, Lisa Feldt/DC/USEPA/US@EPA, Mathy Stanislaus/DC/USEPA/US@EPA, Michael Kulik/R3/USEPA/US@EPA, Ron Borsellino/R3/USEPA/US@EPA, William Early/R3/USEPA/US  
Date: 02/03/2012 06:22 PM  
Subject: Re: Fw: Dimock arsenic level

# Ex. 5 - Deliberative

Thanks - Shawn

From: Terri-A White/R3/USEPA/US  
To: Shawn Garvin/R3/USEPA/US@EPA, Michael Kulik/R3/USEPA/US@EPA, Daniel Ryan/R3/USEPA/US@EPA, William Early/R3/USEPA/US, Bob Sussman/DC/USEPA/US@EPA, Mathy Stanislaus/DC/USEPA/US@EPA, Lisa Feldt/DC/USEPA/US@EPA  
Cc: "Betsaida Alcantara" <alcantara.betsaida@epa.gov>, Ron Borsellino/R3/USEPA/US@EPA, Dennis Carney/R3/USEPA/US@EPA, Kathy Hodgkiss/R3/USEPA/US@EPA, Cecil Rodrigues/R3/USEPA/US@EPA  
Date: 02/03/2012 06:15 PM  
Subject: Re: Fw: Dimock arsenic level

# Ex. 5 - Deliberative

# Ex. 5 - Deliberative

Sent by EPA Wireless E-Mail Services

----- Original Message -----

**From:** Terri-A White  
**Sent:** 02/03/2012 05:06 PM EST  
**To:** Shawn Garvin; Michael Kulik; Daniel Ryan; William Early; Bob Sussman; Mathy Stanislaus; Lisa Feldt  
**Cc:** "Betsaida Alcantara" <alcantara.betsaida@epa.gov>; Ron Borsellino; Dennis Carney; Kathy Hodgkiss; Cecil Rodrigues  
**Subject:** Re: Fw: Dimock arsenic level

# Ex. 5 - Deliberative

Sent by EPA Wireless E-Mail Services

----- Original Message -----

**From:** Shawn Garvin  
**Sent:** 02/03/2012 04:56 PM EST  
**To:** Terri-A White; Michael Kulik; Daniel Ryan; William Early; Bob Sussman; Mathy Stanislaus; Lisa Feldt  
**Cc:** "Betsaida Alcantara" <alcantara.betsaida@epa.gov>; Ron Borsellino; Dennis Carney; Kathy Hodgkiss; Cecil Rodrigues  
**Subject:** Re: Fw: Dimock arsenic level

# Ex. 5 - Deliberative

# Ex. 5 - Deliberative

Thank you - Shawn

From: Terri-A White/R3/USEPA/US  
To: "Shawn Garvin" <Garvin.Shawn@epamail.epa.gov>, "Betsaida Alcantara" <alcantara.betsaida@epa.gov>  
Cc: "Dennis Carney" <Carney.Dennis@epamail.epa.gov>, "Ron Borsellino" <Borsellino.Ron@epamail.epa.gov>  
Date: 02/03/2012 04:22 PM  
Subject: Fw: Dimock arsenic level

Pls advise.  
Sent by EPA Wireless E-Mail Services

**From:** Laura Legere [llegere@timesshamrock.com]  
**Sent:** 02/03/2012 03:44 PM EST  
**To:** Terri-A White; David Sternberg  
**Subject:** Dimock arsenic level

Hi Terri,

Cabot Oil and Gas Corp. discovered that a high arsenic reading (37 ug/L) in a Dimock water supply was actually an error caused by a water contractor transposing test results when they were uploaded from the field. The sample also came not from a water well but from provided public water in a tank.

The EPA cited the arsenic level as cause for providing water to Resident 8 in its action memo for the Dimock investigation. Do you know if this finding by Cabot will change whether or not the home will continue to receive replacement water from the EPA?

I'm sorry this came across so late on Friday. If you can find anything out by 6 or so, I'd appreciate it.

Thanks,

Laura Legere  
Staff Writer  
Scranton Times-Tribune  
570-348-9100 x 5184  
[llegere@timesshamrock.com](mailto:llegere@timesshamrock.com)

DIM0088146

DIM0088151